

# Programming Languages and Compilers (CS 421)

---

Elsa L Gunter

2112 SC, UIUC

[http://www.cs.uiuc.edu/class  
/sp07/cs421/](http://www.cs.uiuc.edu/class/sp07/cs421/)

Based in part on slides by Mattox Beckman, as updated  
by Vikram Adve and Gul Agha

# Records

---

- Records serve the same programming purpose as tuples
- Provide better documentation, more readable code
- Allow components to be accessed by label instead of position
  - Labels (aka *field names* must be unique)
  - Fields accessed by suffix dot notation

# Record Types

- Record types must be declared before they can be used

```
# type person = {name : string; ss : (int *  
  int * int); age : int};;
```

```
type person = { name : string; ss : int * int  
  * int; age : int; }
```

- person is the type being introduced
- name, ss and age are the *labels*, or *fields*

# Record Values

- Records built with labels; order does not matter

```
# let teacher = {name = "Elsa L. Gunter";  
  age = 102; ss = (119,73,6244)};;
```

```
val teacher : person =
```

```
{name = "Elsa L. Gunter"; ss = (119, 73,  
  6244); age = 102}
```

# Record Values

---

```
# let student = {ss=(325,40,1276);  
  name="Joseph Martins"; age=22};;  
val student : person =  
  {name = "Joseph Martins"; ss = (325, 40,  
    1276); age = 22}  
# student = teacher;;  
- : bool = false
```

# Record Pattern Matching

---

```
# let {name = elsa; age = age; ss =  
    (_,_,s3)} = teacher;;  
val elsa : string = "Elsa L. Gunter"  
val age : int = 102  
val s3 : int = 6244
```

# Record Field Access

---

```
# let soc_sec = teacher.ss;;  
val soc_sec : int * int * int = (119,  
    73, 6244)
```

# New Records from Old

---

```
# let birthday person = {person with age =  
  person.age + 1};;
```

```
val birthday : person -> person = <fun>
```

```
# birthday teacher;;
```

```
- : person = {name = "Elsa L. Gunter"; ss  
  = (119, 73, 6244); age = 103}
```

# New Records from Old

---

```
# let new_id name soc_sec person =  
  {person with name = name; ss =  
    soc_sec};;  
val new_id : string -> int * int * int ->  
  person -> person = <fun>  
# new_id "Giuseppe Martin"  
  (523,04,6712) student;;  
- : person = {name = "Giuseppe Martin";  
  ss = (523, 4, 6712); age = 22}
```

# Variants - Syntax (slightly simplified)


---

- type *name* =  $C_1$  [of  $ty_1$ ] | . . . |  $C_n$  [of  $ty_n$ ]
- Introduce a type called *name*
- $(\text{fun } x \rightarrow C_i x) : ty_1 \rightarrow \textit{name}$
- $C_i$  is called a *constructor*; if the optional type argument is omitted, it is called a *constant*
- Constructors are the basis of almost all pattern matching

# Enumeration Types as Variants

---

An enumeration type is a collection of distinct values



In C and Caml they have an order structure; order by order of input

# Enumeration Types as Variants

---

```
# type weekday = Monday | Tuesday | Wednesday  
| Thursday | Friday | Saturday | Sunday;;
```

```
type weekday =
```

```
Monday
```

```
| Tuesday
```

```
| Wednesday
```

```
| Thursday
```

```
| Friday
```

```
| Saturday
```

```
| Sunday
```

# Functions over Enumerations

---

```
# let day_after day = match day with
  Monday -> Tuesday
| Tuesday -> Wednesday
| Wednesday -> Thursday
| Thursday -> Friday
| Friday -> Saturday
| Saturday -> Sunday
| Sunday -> Monday;;
val day_after : weekday -> weekday = <fun>
```

# Functions over Enumerations

---

```
# let rec days_later n day =  
  match n with 0 -> day  
  | _ -> if n > 0  
         then day_after (days_later (n - 1) day)  
         else days_later (n + 7) day;;  
val days_later : int -> weekday -> weekday =  
  <fun>
```

# Functions over Enumerations

---

```
# days_later 2 Tuesday;;
```

```
- : weekday = Thursday
```

```
# days_later (-1) Wednesday;;
```

```
- : weekday = Tuesday
```


```
# days_later (-4) Monday;;
```

```
- : weekday = Thursday
```

# Disjoint Union Types

---

- Disjoint union of types, with some possibly occurring more than once



- We can also add in some new singleton elements

# Disjoint Union Types

---

```
# type id = DriversLicense of int
  | SocialSecurity of int | Name of string;;
type id = DriversLicense of int | SocialSecurity
  of int | Name of string
# let check_id id = match id with
  DriversLicense num ->
    not (List.mem num [13570; 99999])
  | SocialSecurity num -> num < 900000000
  | Name str -> not (str = "John Doe");;
val check_id : id -> bool = <fun>
```

# Polymorphism in Variants

- The type 'a option is gives us something to represent non-existence or failure

```
# type 'a option = Some of 'a | None;;  
type 'a option = Some of 'a | None
```

- Used to encode partial functions
- Often can replace the raising of an exception

# Functions over option

---

```
# let rec first p list =  
  match list with [ ] -> None  
  | (x::xs) -> if p x then Some x else first p xs;;  
val first : ('a -> bool) -> 'a list -> 'a option = <fun>  
# first (fun x -> x > 3) [1;3;4;2;5];;  
- : int option = Some 4  
# first (fun x -> x > 5) [1;3;4;2;5];;  
- : int option = None
```

# Mapping over Variants

---

```
# let optionMap f opt =  
  match opt with None -> None  
  | Some x -> Some (f x);;  
val optionMap : ('a -> 'b) -> 'a option -> 'b  
  option = <fun>  
# optionMap  
  (fun x -> x - 3)  
  (first (fun x -> x > 3) [1;3;4;2;5]);;  
- : int option = Some 1
```

# Folding over Variants


---

```
# let optionFold someFun noneVal opt =  
  match opt with None -> noneVal  
  | Some x -> someFun x;;  
val optionFold : ('a -> 'b) -> 'b -> 'a option  
  -> 'b = <fun>  
  
# let optionMap f opt =  
  optionFold (fun x -> Some (f x)) None  
  opt;;  
val optionMap : ('a -> 'b) -> 'a option -> 'b  
  option = <fun>
```

# Recursive Types

---

- The type being defined may be a component of itself



# Recursive Data Types

---

```
# type int_Bin_Tree =  
  Leaf of int | Node of (int_Bin_Tree *  
    int_Bin_Tree);;
```

```
type int_Bin_Tree = Leaf of int | Node of  
  (int_Bin_Tree * int_Bin_Tree)
```


# Recursive Data Type Values

---

```
# let bin_tree =  
  Node(Node(Leaf 3, Leaf 6),Leaf (-7));;  
val bin_tree : int_Bin_Tree = Node (Node  
  (Leaf 3, Leaf 6), Leaf (-7))
```

# Recursive Data Type Values

---



# Recursive Functions

---

```
# let rec first_leaf_value tree =  
  match tree with (Leaf n) -> n  
  | Node (left_tree, right_tree) ->  
    first_leaf_value left_tree;;  
val first_leaf_value : int_Bin_Tree -> int =  
  <fun>  
# let left = first_leaf_value bin_tree;;  
val left : int = 3
```

# Mapping over Recursive Types

---

```
# let rec ibtreeMap f tree =  
  match tree with (Leaf n) -> Leaf (f n)  
  | Node (left_tree, right_tree) ->  
    Node (ibtreeMap f left_tree,  
          ibtreeMap f right_tree);;  
val ibtreeMap : (int -> int) -> int_Bin_Tree  
  -> int_Bin_Tree = <fun>
```

# Mapping over Recursive Types

---

```
# ibtreeMap ((+) 2) bin_tree;;  
- : int_Bin_Tree = Node (Node (Leaf 5,  
  Leaf 8), Leaf (-5))
```

# Folding over Recursive Types

---

```
# let rec ibtreeFoldRight leafFun nodeFun tree =  
  match tree with Leaf n -> leafFun n  
  | Node (left_tree, right_tree) ->  
    nodeFun  
      (ibtreeFoldRight leafFun nodeFun left_tree)  
      (ibtreeFoldRight leafFun nodeFun right_tree);;  
val ibtreeFoldRight : (int -> 'a) -> ('a -> 'a -> 'a) ->  
  int_Bin_Tree -> 'a = <fun>
```

# Folding over Recursive Types

---

```
# let tree_sum =  
    ibtreeFoldRight (fun x -> x) (+);;  
val tree_sum : int_Bin_Tree -> int = <fun>  
# tree_sum bin_tree;;  
- : int = 2
```

# Mutually Recursive Types

---

```
# type 'a tree = TreeLeaf of 'a
  | TreeNode of 'a treeList
and 'a treeList = Last of 'a tree
  | More of ('a tree * 'a treeList);;
type 'a tree = TreeLeaf of 'a | TreeNode of
  'a treeList
and 'a treeList = Last of 'a tree | More of
  ('a tree * 'a treeList)
```

# Mutually Recursive Types - Values

---

```
# let tree =  
  TreeNode  
  (More (TreeLeaf 5,  
        (More (TreeNode  
              (More (TreeLeaf 3,  
                    Last (TreeLeaf 2))),  
                    Last (TreeLeaf 7))))));;
```


# Mutually Recursive Types - Values

---

```
val tree : int tree =  
  TreeNode  
  (More  
   (TreeLeaf 5,  
    More  
     (TreeNode (More (TreeLeaf 3, Last  
                    (TreeLeaf 2))), Last (TreeLeaf 7))))))
```

# Mutually Recursive Types - Values


---



# Mutually Recursive Types - Values

---

A more conventional picture



# Mutually Recursive Functions

---

```
# let rec fringe tree =  
  match tree with (TreeLeaf x) -> [x]  
  | (TreeNode list) -> list_fringe list  
and list_fringe tree_list =  
  match tree_list with (Last tree) -> fringe tree  
  | (More (tree,list)) ->  
    (fringe tree) @ (list_fringe list);;  
val fringe : 'a tree -> 'a list = <fun>  
val list_fringe : 'a treeList -> 'a list = <fun>
```

# Mutually Recursive Functions

---

# fringe tree;;

- : int list = [5; 3; 2; 7]

# Nested Recursive Types

---

```
# type 'a labeled_tree =  
  TreeNode of ('a * 'a labeled_tree list);;  
type 'a labeled_tree = TreeNode of ('a  
  * 'a labeled_tree list)
```

# Nested Recursive Typ Values

---

```
# let ltree =  
  TreeNode(5,  
    [TreeNode (3, []);  
      TreeNode (2, [TreeNode (1, []);  
                        TreeNode (7, [])]);  
      TreeNode (5, [])]);;
```


# Nested Recursive Type Values

---

```
val ltree : int labeled_tree =  
  TreeNode  
    (5,  
     [TreeNode (3, []); TreeNode (2, [TreeNode  
      (1, []); TreeNode (7, [])]);  
     TreeNode (5, [])])
```


# Nested Recursive Typ Values

Ltree = TreeNode(5)



# Nested Recursive Type Values

---



# Mutually Recursive Functions

---

```
# let rec flatten_tree labtree =  
  match labtree with TreeNode (x,treelist)  
    -> x::flatten_tree_list treelist  
  and flatten_tree_list treelist =  
  match treelist with [] -> []  
  | labtree::labtrees  
    -> flatten_tree labtree  
    @ flatten_tree_list labtrees;;
```

# Mutually Recursive Functions

---

```
val flatten_tree : 'a labeled_tree -> 'a list =  
  <fun>
```

```
val flatten_tree_list : 'a labeled_tree list ->  
  'a list = <fun>
```

```
# flatten_tree ltree;;
```

```
- : int list = [5; 3; 2; 1; 7; 5]
```

- Nested recursive types lead to mutually recursive functions

# Infinite Recursive Values

---

```
# let rec ones = 1::ones;;
```

```
val ones : int list =
```

```
  [1; 1; 1; 1; ...]
```

```
# match ones with x::_ -> x;;
```

Characters 0-25:

Warning: this pattern-matching is not exhaustive.

Here is an example of a value that is not matched:

```
[]
```

```
  match ones with x::_ -> x;;
```

```
  ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
- : int = 1
```

# Infinite Recursive Values

---

```
# let rec lab_tree = TreeNode(2, tree_list)
  and tree_list = [lab_tree; lab_tree];;
```

# Infinite Recursive Values

---

```
val lab_tree : int labeled_tree =  
  TreeNode (2, [TreeNode(...); TreeNode(...)])  
val tree_list : int labeled_tree list =  
  [TreeNode (2, [TreeNode(...); TreeNode(...)]);  
   TreeNode (2, [TreeNode(...); TreeNode(...)])]
```

# Infinite Recursive Values

---

```
# match lab_tree
  with TreeNode (x, _) -> x;;
- : int = 2
```