

# Programming Languages and Compilers (CS 421)

Elsa L Gunter  
2112 SC, UIUC  
<http://www.cs.uiuc.edu/class/sp07/cs421/>

Based in part on slides by Mattox Beckman, as updated by Vikram Adve and Gul Agha

## Background for Unification

- Terms made from constructors and variables (for the simple first order case)
- Constructors may be applied to arguments (other terms) to make new terms
- Variables and constructors with no arguments are base cases
- Constructors applied to different number of arguments (arity) considered different
- Substitution of terms for variables

Elsa L. Gunter

## Simple Implementation Background

```
type term = Variable of string
          | Const of (string * term list)

let rec subst vn residue term =
  match term with Variable n ->
    if vn = n then residue else term
  | Const (c, tys) ->
    Const (c, List.map (subst vn residue)
                  tys);;
```

Elsa L. Gunter

## Unification Problem

Given a set of pairs of terms ("equations")  
 $\{(s_1, t_1), (s_2, t_2), \dots, (s_n, t_n)\}$   
(the *unification problem*) does there exist a substitution  $\sigma$  (the *unification solution*) of terms for variables such that  
$$\sigma(s_i) = \sigma(t_i),$$
  
for all  $i = 1, \dots, n$ ?

Elsa L. Gunter

## Uses for Unification

- Type Inference and type checking
- Pattern matching as in OCAML
  - Can use a simplified version of algorithm
- Logic Programming - Prolog
- Simple parsing

Elsa L. Gunter

## Unification Algorithm

- Let  $S = \{(s_1, t_1), (s_2, t_2), \dots, (s_n, t_n)\}$  be a unification problem.
- Case  $S = \{ \}$ :  $\text{Unif}(S) = \text{Identity function}$  (ie no substitution)
- Case  $S = \{(s, t)\} \cup S'$ : Four main steps

Elsa L. Gunter

## Unification Algorithm

---

- Delete: if  $s = t$  (they are the same term) then  $\text{Unif}(S) = \text{Unif}(S')$
- Decompose: if  $s = f(q_1, \dots, q_m)$  and  $t = f(r_1, \dots, r_m)$  (same  $f$ , same  $m!$ ), then  $\text{Unif}(S) = \text{Unif}(\{(q_1, r_1), \dots, (q_m, r_m)\} \cup S')$
- Orient: if  $t = x$  is a variable, and  $s$  is not a variable,  $\text{Unif}(S) = \text{Unif}(\{(x,s)\} \cup S')$

Elsa L. Gunter

## Unification Algorithm

---

- Eliminate: if  $s = x$  is a variable, and  $x$  does not occur in  $t$  (the occurs check), then
  - Let  $\varphi = x \mapsto t$
  - Let  $\psi = \text{Unif}(\varphi(S'))$
  - $\text{Unif}(S) = \{x \mapsto \psi(t)\} \circ \psi$

Elsa L. Gunter

## Tricks for Efficient Unification

---

- Don't return substitution, rather do it incrementally
- Make substitution be constant time
  - Requires implementation of terms to use mutable structures (or possibly lazy structures)
  - We haven't discussed these yet

Elsa L. Gunter

## Example

---

- $x, y, z$  variables,  $f, g$  constructors
- $S = \{(f(x), f(g(y, z))), (g(y, f(y)), x)\}$

Elsa L. Gunter

## Example

---

- $x, y, z$  variables,  $f, g$  constructors
- Pick a pair:  $(g(y, f(y)), x)$
- $S = \{(f(x), f(g(y, z))), (g(y, f(y)), x)\}$

Elsa L. Gunter

## Example

---

- $x, y, z$  variables,  $f, g$  constructors
- Pick a pair:  $(g(y, f(y)), x)$
- Orient is first rule that applies
- $S = \{(f(x), f(g(y, z))), (g(y, f(y)), x)\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
- S  $\rightarrow$  {(f(x), f(g(y,z))), (x,g(y,f(y)))}

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
- Pick a pair: (f(x), f(g(y,z)))
- S  $\rightarrow$  {(f(x), f(g(y,z))), (x,g(y,f(y)))}

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
- Pick a pair: (f(x), f(g(y,z)))
- Decompose it (x, g(y,z))
- S  $\rightarrow$  {(x, g(y,z)), (x,g(y,f(y)))}

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
- Pick a pair: (x,g(y,f(y)))
- S  $\rightarrow$  {(x, g(y,z)), (x,g(y,f(y)))}

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (x,g(y,f(y)))
  - Substitute:
  - S  $\rightarrow$  {(g(y,f(y)), g(y,z))}
- With  $\{x \mapsto g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (g(y,f(y)), g(y,z))
  - S  $\rightarrow$  {(g(y,f(y)), g(y,z))}
- With  $\{x \mapsto g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (g(y,f(y)), g(y,z))
  - Decompose: (y,y) and (f(y), z)
  - $S \rightarrow \{(y,y), (f(y),z)\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (y,y)
- 
- $S \rightarrow \{(y,y), (f(y),z)\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (y,y)
  - Delete
  - $S \rightarrow \{(f(y),z)\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (f(y),z)
- 
- $S \rightarrow \{(f(y),z)\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (f(y),z)
  - Orient
  - $S \rightarrow \{(z,f(y))\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

---

- x,y,z variables, f,g constructors
  - Pick a pair: (z,f(y))
- 
- $S \rightarrow \{(z,f(y))\}$
- With  $\{x \mid \rightarrow g(y,f(y))\}$

Elsa L. Gunter

## Example

- x,y,z variables, f,g constructors
- Pick a pair: (z,f(y))
- Substitute
- S -> { }

With  $\{x \mid \rightarrow \{z \mid \rightarrow f(y)\} (g(y,f(y)))\} \circ \{z \mid \rightarrow f(y)\}$

Elsa L. Gunter

## Example

- x,y,z variables, f,g constructors
- Pick a pair: (z,f(y))
- Substitute
- S -> { }

With  $\{x \mid \rightarrow g(y,f(y))\} \circ \{z \mid \rightarrow f(y)\}$

Elsa L. Gunter

## Example

$S = \{(f(x), f(g(y,z))), (g(y,f(y)),x)\}$

Solved by  $\{x \mid \rightarrow g(y,f(y))\} \circ \{z \mid \rightarrow f(y)\}$

$$\frac{f(g(y,f(y)))}{x} = \frac{f(g(y,f(y)))}{z}$$

and

$$g(y,f(y)) = \frac{g(y,f(y))}{x}$$

Elsa L. Gunter

## Example of Failure

- S =  $\{(f(x,g(y)), f(h(y),x))\}$
- Decompose
- S ->  $\{(x,h(y)), (g(y),x)\}$
- Orient
- S ->  $\{(x,h(y)), (x,g(y))\}$
- Substitute
- S ->  $\{(h(y), g(y))\}$  with  $\{x \mid \rightarrow h(y)\}$
- No rule to apply! Decompose fails!

Elsa L. Gunter